

Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

Version: 05

| SECTION 1: IDENTIFIC             | CATION O     | F THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING   |
|----------------------------------|--------------|--|
| 1.1 Product Identifier:          |              |  |
| Product Name                     |              | COBALT BIS (2-ETHYLHEXANOATE) IN LOW AROMATIC WHITE SPIRITS  |
| Trade Name                       | :            | COMMET: Co 8 LA  |
| Hade Name                        | •            |  |
| 1 2 Relevant identified us       | as of the su | bstance or mixture and uses advised against:   |
| Intended Use                     | :            | Paint Drier  |
|                                  | •            |  |
| 1.3 Details of Supplier of       | the safety d | ata sheet:   |
| Manufacturer & supplier          | ine surery u |  |
| COMAR Chemicals (Pty) L          | td           |  |
| Neil Hare Road                   |              |  |
| Atlantis Industrial              |              |  |
| Cape Town                        |              |  |
| South Africa                     |              |  |
| Tel : (+27) 21 577-1333          |              |  |
| Fax :(+27) 21 577-1343           |              |  |
| e-mail: info@comarchem.co        | <u>o.za</u>  |  |
| www.comarchem.com                |              |  |
|                                  |              |  |
| 1.4 Emergency Telephone          |              |  |
| Emergency number                 | +27-8277     | 740071 / +27 21 5771333/ +27 825774766   |
|                                  |              |  |
| <b>SECTION 2 : HAZARDS</b>       |              | CATION   |
|                                  |              |  |
| 2.1 Classification of the second | ubstance or  | r mixture  |
|                                  |              |  |
|                                  | o Regulatio  | on (EC) No. 1272/2008 [CLP/GHS]  |
| Classification                   | :            | Flam. Liq. 3, H226   |
|                                  |              | Skin Irrit. 2, H315  |
|                                  |              | Asp. Tox. 1, H304  |
|                                  |              | Aquatic Chronic 2, H412  |
| Dhuais allah anais al harmada    |              | Elemente la la constante en elemente de la constante de la constante de la constante de la constante de la const |
| Physical/chemical hazards        | :            | Flammable liquid and vapour.   |
| Human health hazards             | :            | Maybe fatal if swallowed and enters airways.   |
|                                  |              | Irritating to skin.  |
| En incompanial baranda           | _            | Vapours may cause drowsiness and dizziness.  |
| Environmental hazards            | -            | Toxic to aquatic organisms, may cause long-term adverse effects  |
|                                  |              | in the aquatic environment.  |
|                                  |              |  |
| 2.2 Label Elements               |              |  |
|                                  |              |  |
| Hazard pictograms                | :            |  |
|                                  | ~            |  |
|                                  |              |  |
|                                  |              |  |
|                                  | <u>E</u>     | i i i i i i i i i i i i i i i i i i i  |
|                                  |              |  |
|                                  | •            |  |
|                                  | CUEO2        | CHEON CHEON  |
|                                  | GHS02        | GHS08 GHS07 GHS09  |
| o:                               |              | <b>_</b>   |
| Signal Word                      | :            | Danger   |
| Hazard Statements                | :            | H226 - Flammable liquid and vapour.  |
|                                  |              | H315 - Causes skin irritation.   |
|                                  |              | H304 - May be fatal if swallowed and enters airways.   |
|                                  |              | H336 - May cause drowsiness or dizziness.  |
|                                  |              | H401 - Toxic to aquatic life.  |
|                                  |              |  |
|                                  |              |  |

# Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

| Additional warning phrases    | :                  | Repeated exposure may cause skin dryness or cracking.  |
|-------------------------------|--------------------|--|
| Precautionary statements      |                    |  |
| Prevention                    | :                  | <ul> <li>P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking</li> <li>P240: Ground/bond container and receiving equipment</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face</li> <li>protection.</li> <li>P243: Take precautionary measures against static discharge.</li> <li>P273: Avoid release to the environment.</li> </ul> |
| Response                      | :                  | P301+PP310: IF SWALLOWED: Immediately call a POISON CENTRE or<br>physician.<br>P331: Do NOT induce vomiting.<br>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all<br>contaminated clothing. Rinse skin with water or shower.  |
| Storage                       | :                  | P403+P235: Store in a well ventilated place. Keep cool.  |
| Disposal                      | :                  | P501: Dispose of contents and container in accordance with all local, regional, national and international regulations.  |
| 2.3 Other Hazards             |                    |  |
| Other hazards which do not re | sult in classifica | tion : None known  |

# SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

**Product definition (REACH)** : Mixture

| Name   | Product identifier                     | %     | Classification<br>according to<br>Regulation (EC) No.<br>1272/2008 [CLP]   |
|--|--|-------|--|
| Cobalt bis (2-ethylhexanoate)                | (CAS No) 136-52-7<br>(EC no) 205-250-6 | 47    |  |
| Naphtha (petroleum), hydrodesulfurised heavy | EINECS: 265-185-4<br>CAS: 64742-82-1   | 49    | Flam. Liq.3 , H226<br>Skin Irrit. 2, H315                                  |
| Glycol Ether                                 | (CAS No) 111-76-2<br>(EC No) 203-905-0 | 1 - 5 |  |
|  |  |       | See Section 16 for<br>the full text of the<br>H-phrases<br>declared above. |

Occupational exposure limits, if available, are listed in Section 8.

Version: 05

## **Safety Data Sheet**

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

Version: 05

| SECTION 4: FIRST AID MEAS         | JRES  |   |
|-----------------------------------|-------|---|
| 4.1 Description of First Aid meas | sures |   |
| After Inhalation                  | :     | Keep victim calm and remove to fresh air if safe to do so. If<br>rapid recovery does not occur, transport to nearest medical facility for<br>additional treatment |
| After skin contact                | :     | Remove clothing and wash affected areas thoroughly with water and soap.   |
| After eye contact                 | :     | Rinse thoroughly with water until irritation stops. If irritation continues, consult a Doctor.  |
| After Ingestion                   | :     | If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment.   |

4.2 Most important symptoms & effects, both acute & delayed See Section 11 for more detailed information on health effects and symptoms

**4.3 Indication of any immediate medical attention and special treatment needed** See Section 11 for more detailed information on health effects and symptoms

# SECTION 5: FIRE FIGHTING MEASURES

| 5.1 Extinguishing media                |         |  |
|--|---------|--|
| Suitable Extinguishing media           | :       | Powder, foam, sand, or $CO_2$  |
| Un-suitable extinguishing media        | :       | Do not use water-jet   |
| ······································ |         |  |
|  |         |  |
| 5.2 Special hazards arising from the   | substar | <u>nce or mixture</u>  |
| Hazardous combustion product           | :       | Decomposition may include the following products: Metal oxides and/ Carbon oxides.                           |
|  |         |  |
| 5.3 Advice for fire-fighters           |         |  |
| Special precautions for                |         | Promptly isolate the scene by removing all persons from the  |
| fire-fighters                          | :       | vicinity of the incident if there is a fire. No action shall be taken  |
| 5                                      |         | involving any personal risk or without suitable training. Move   |
|  |         | containers from fire area if this can be done without risk.  |
| On a sigl Desta stige Equipment        |         |  |
| Special Protection Equipment           |         |  |
| for fire-fighters                      | :       | Fire-fighters should wear appropriate protective equipment and<br>self-contained breathing apparatus (SCBA). |

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures
Remove sources of ignition.
Ground containers.
Ensure sufficient ventilation, or provide respiratory protection.
Protect eyes and skin.

6.2 Environmental precautions Inform relevant local authorities. Inform inhabitants of areas that will be affected of possible fire / explosion.

miorin innabitants of areas that will be affected of possible file / explosion

6.3 Methods and materials for containment and clean-up

Do not allow ingress into ground or surface water, or drainage systems. Fill into containers and dispose at toxic waste disposal sites. Local regulations must be observed.

### 6.4 Reference to other Sections

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

Version: 05

## SECTION 7: HANDLING AND STORAGE

| 7.1 Precautions for safe handling |   |  |
|-----------------------------------|---|--|
| Precautions for safe handling     | : | Do not smoke. Remove sources of ignition. Avoid contact with skin, eyes<br>and clothing. Handle material in adequately ventilated areas. Ensure<br>proper use of recommended safety apparel. Do not use compressed air or<br>compressed oxygen for transfer of product. Partially used drums must be<br>securely closed after use. |

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area. Keep away from incompatible materials such as oxidising agents. Ensure material is kept in a closed container. Keep away from ignition sources.

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1. Control parameters

Components with limit values that require monitoring at the workplace: Relevant exposure limits are:

•

### Cobalt (Dust and Fumes): ACGIH (America)

ACGIH (America) TLV: 0.02 mg/m<sup>3</sup> (TWA) End of Shift: 15µg/l – urine 1µg/l - blood OSHA PEL: 0.1 mg/m<sup>3</sup> (TWA) SAIOH (South Africa) Occupational Exposure Limit – recommended limit 0.1 mg/m<sup>3</sup>

### Naphtha (petroleum), hydrodesulfurised heavy ACGIH (America) TLV-TWA: 100 ppm, 525 mg/m<sup>3</sup>

### Glycol Ether:

ACGIH (America) TLV-TWA: 20 ppm (8 hours) OSHA PEL Z1: 240 mg/m<sup>3</sup>

Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

# **Safety Data Sheet**

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

### Version: 05

| 8.2 Exposure Controls            |             |  |
|----------------------------------|-------------|--|
| Hand protection                  | :           | Approved Dust Respirator recommended.  |
| Eye protection                   | :           | Full-cover goggles recommended   |
| Skin protection                  | :           | PVC/rubber gloves (impervious)   |
|                                  |             |  |
| Hygiene measures                 | :           | Keep away from food. Wash hands thoroughly with water and soap before breaks and at the end of a work day. Provide separate storage of work clothes and private clothes. |
| SECTION 9: PHYSICAL AND          |             | AL PROPERTIES  |
|                                  |             |  |
| 9.1 Information on basic physica | I and chemi | ical properties  |
| Appearance:                      |             |  |
| Physical state                   |             | : Clear Liquid   |
| Colour                           |             | : Violet   |
| Odour                            |             | : Slight oil/alcohol smell   |
| Important health, safety         | and enviror | nmental information:   |
| Boiling Point                    |             | : >140 °C  |
| PH                               |             | not measurable   |
| Flash Point                      |             | : >35 °C (as per ASTM D93)   |
| Solidification Temperature       |             | : <-20 °C  |
| Density                          |             | : 900 kg/m <sup>3</sup> (as per ASTM D 1298)   |
| SOI VENT                         |             |  |

SOLVENT Boiling Point/Range >140 °C : Solubility soluble in organic solvents such as white spirits, xylol, alcohol, glycol : Explosion limits approx. 0.6% to 6.5% vol/vol : Vapour Pressure <10 hPa ÷

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

The product is stable under normal conditions.

**10.2 <u>Chemical stability</u>** The product is stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4 Conditions to avoid

Avoid all possible sources of ignition (spark or flame).

### 10.5 Incompatible materials

Avoid strong oxidisers, inorganic acids, organic peroxides

### 10.6 Hazardous decomposition products

Metal oxides and carbon oxides. At pyrolysis temperature in excess of 1000 °C possible formation of metal oxides, CO, CO2, and vapours of acid decomposition.

# Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

Version: 05

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on Toxicological effects

### Potential Acute health effects:

| Folential Acule nearth enects. |   |   |
|--------------------------------|---|---|
| Inhalation                     | : | Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.   |
| Ingestion                      | : | Can cause central nervous system (CNS) depression. May be fatal if swallowed and enters airways. Irritating to mouth, throat and stomach. |
| Skin contact                   | : | May cause skin irritation.  |
| Eye contact                    | : | May cause eye irritation.   |
|                                |   |   |

### Acute Toxicity:

| Product name / ingredient | Result                    | Species | Dose        | Exposure |
|---------------------------|---------------------------|---------|-------------|----------|
| White Spirits             | LD50<br>Oral              | * Rat   | >2000 mg/kg | -        |
| White Spirits             | LD50<br>Dermal            | * Rat   | >2000 mg/kg | -        |
| White Spirits             | LD50<br>Inhalation vapour | * Rat   | >5 mg/l     | -        |
| Cobalt                    | LD50                      | *Rat    | 6.17 g/kg   |          |
|                           | Oral                      |         |             |          |

\*Test results on an analogous product.

# SECTION 12 : ECOLOGICAL INFORMATION

## 12.1 Toxicity

| Product name / ingredient | Test      | Result             | Species                          | Exposure |
|---------------------------|-----------|--------------------|----------------------------------|----------|
| White Spirits             | Estimated | 1 < LC50 ≤ 10 mg/l | Fish                             | -        |
|                           | Estimated | 1 < EC50 ≤ 10 mg/l | Daphnia                          | -        |
|                           | Estimated | 1 < IC50 ≤ 10 mg/l | Algae                            | -        |
|                           | Estimated | 1 < IC50 ≤ 10 mg/l | Bacteria                         | -        |
|                           | Estimated | 1 < EC50 ≤ 10 mg/l | Sewage<br>Treatment<br>Organisms | -        |

**12.2** Persistence and degradability: No data available.

### **12.3 <u>Bioaccumulative potential</u>** No data available.

12.4 Mobility

No data available.

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

Version: 05

# SECTION 13 : DISPOSAL CONSIDERATIONS

| 13.1 Waste treatment methods     |   |  |
|----------------------------------|---|--|
| Product<br>Methods of disposal   | : | Examine possibilities for re-utilisation. Product residues and<br>uncleaned empty containers should be packaged, sealed, labelled,<br>and disposed of or recycled according to relevant national and<br>local regulations. Where large quantities are concerned, consult<br>the supplier. Do not dispose into the environment, in drains or in water<br>courses. Waste material should not be allowed to contaminate soil or<br>water. |
| Packaging<br>Methods of disposal | : | Disposal should be in accordance with applicable regional, national, and local laws and regulations.   |

## SECTION 14 : TRANSPORT INFORMATION

|  | ADR / RID                                     | ADN   | IMDG  | ΙΑΤΑ   |
|--|---|---|---|--|
| 14.1 UN Number                         | UN1263  | UN1263  | UN1263  | UN1993   |
| 14.2 UN Proper<br>shipping name        | PAINT RELATED<br>MATERIAL (COBALT<br>OCTOATE) | PAINT RELATED<br>MATERIAL (COBALT<br>OCTOATE) | PAINT RELATED<br>MATERIAL (COBALT<br>OCTOATE) | FLAMMABLE LIQUID,<br>N.O.S (COBALT<br>OCTOATE) |
| 14.3 Transport<br>hazard class / marks |   |   |   |  |
| 14.4 Packing Group                     | III   | =   | =   | Ш  |
| 14.5 Environmental<br>hazards          | Yes   | Yes   | Yes   | Yes  |

14.6 <u>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code</u> : Not available

# SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

| EC Label Name  | : | Low Aromatic White Spirits   |
|--|---|--|
| EC Classification  | : | Flammable, Dangerous for the environment                                 |
| EC Symbol  | : | N  |
| EINECS (EC)<br>MITI (Japan)<br>TSCA (USA)<br>AICS (Australia)<br>DSL (Canada)<br>TCCL (Korea)<br>PICCS (Philippines) |   | 265-185-4<br>9-1699<br>Listed<br>Listed<br>Listed<br>9212-4362<br>Listed |

# COMMET Co-8 LA Safety Data Sheet

according to Regulation (EU) 2015/830 Revision date: 18/05/2018

**REVISION REASON** 

## SECTION 16: OTHER INFORMATION

| Abbreviations and acronyms<br>ATE<br>CLP                                      | : | Acute toxicity estimate<br>Classification, Labelling and Packaging Regulation<br>[Regulation (EC) No. 1272/2008]  |
|---|---|---|
| DNEL  |   | Derived No Effect level   |
| EUH statement   |   | CLP-specific Hazard statement   |
| PBT   | : | Persistent, Bio-accumulative and Toxic  |
| PNEC  | : | Predicted No Effect Concentration   |
| RRN   | : | REACH Registration number   |
| vPvB  | : | Very Persistent and very Bio-accumulative   |
| Full Text of abbreviated H statements<br>H226<br>H304<br>H315<br>H336<br>H411 | : | Flammable liquid and vapour.<br>May be fatal if swallowed and enters airways.<br>Causes skin irritation.<br>May cause drowsiness or dizziness.<br>Toxic to aquatic life with long lasting effects |
| DATE OF PREVIOUS VERSION  | : | 18/05/2015  |

:

The information and recommendations contained herein are believed to be accurate and reliable at the time of issue. It is however the user's responsibility to satisfy itself that the product is suitable for the intended use. No warranties, either implied or expressed, shall be extended as to the accuracy or completeness of the information contained herein, and we assume no responsibility regarding the suitability of the information for the user's intended purposes or for the consequences of its use.

GHS Format