

Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifier:		
Product Name	:	ZINC (2-ETHYLHEXANOATE) IN LOW AROMATIC WHITE SPIRITS
Synonyms	:	Zinc Octoate, Zinc 2-ethyl hexanoate
Trade Name	:	COMMET Zn-12 LA

 1.2 Relevant identified uses of the substance or mixture and uses advised against:

 Intended Use
 :
 Paint Drier

1.3 Details of Supplier of the safety data sheet:

Manufacturer & supplier **COMAR Chemicals (Pty) Ltd** Neil Hare Road Atlantis Industrial Cape Town South Africa Tel : (+27) 21 577-1333 Fax : (+27) 21 577-1343 e-mail: info@comarchem.co.za www.comarchem.com

 1.4 Emergency Telephone number:

 Emergency number
 +27-827740071 / +27 21 5771333/ +27 825774766

#### **SECTION 2: HAZARDS IDENTIFICATION**

2.1 Classification of the substance or mixture

<b>Classification according to</b>	Regulation	(EC) No. 1272/2008 [CLP/GHS]
Classification	:	Flam. Liq. 3, H226
		Skin Irrit. 2, H315
		Asp. Tox. 1, H304
		Aquatic Chronic 2, H412

#### Classification according to Directive 1999/45/EC [DPD]

:

Classification according to	Directive	1999/43/EC [DFD]
Classification	:	F; R10
		R20/21/22
		R65; R66; R67
		R36; R37
		R43
		N; R51/53
Physical/chemical hazards	:	Flammable liquid and vapour.
Human health hazards	:	Maybe fatal if swallowed and enters airways.
		Irritating to skin.
		Vapours may cause drowsiness and dizziness.
Environmental hazards		Toxic to aquatic organisms, may cause long-term adverse effects
Environmental nazarde	-	in the aquatic environment.

2.2 Label Elements

#### Hazard pictograms

			<u>(!</u> )	¥_2		
Signal Word Hazard Statements	:	<b>Danger</b> H226 - Flammable liquid and vapour. H315 - Causes skin irritation. H304 - May be fatal if swallowed and enters airways.				

H336 - May cause drowsiness or dizziness.

H401 - Toxic to aquatic life.

### Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

Additional warning phrases	:	Repeated exposure may cause skin dryness or cracking.
Precautionary statements Prevention	:	<ul> <li>P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking</li> <li>P240: Ground/bond container and receiving equipment</li> <li>P280: Wear protective gloves/protective clothing/eye protection/face</li> <li>protection.</li> <li>P243: Take precautionary measures against static discharge.</li> <li>P273: Avoid release to the environment.</li> </ul>
Response	:	P301+PP310: IF SWALLOWED: Immediately call a POISON CENTRE or physician. P331: Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
Storage	:	P403+P235: Store in a well ventilated place. Keep cool.
Disposal	:	P501: Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3 Other Hazards		
Other hazards which do not result i	n classif	ication : None known

Other hazards which do not result in classification

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

**Product definition (REACH)** : Mixture

			Class	fication	Туре
Product/ Ingredient Name	Identifiers	(%)	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Zinc (2-ethylhexanoate)	EINECS: 205-251-1 CAS: 136-53-8	65	R20/22	Skin Irrit. 2, H315	
Naphtha (petroleum), hydrodesulfurised heavy	EINECS: 265-185-4 CAS: 64742-82-1	35	R36/37; R65 R51/53	Flam. Liq.3 , H226 Skin Irrit. 2, H315	
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H-phrases declared above.	

Occupational exposure limits, if available, are listed in Section 8.

#### **Safety Data Sheet**

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

SECTION 4: FIRST AID MEASU	RES	
4.1 Description of First Aid measure	ures	
After Inhalation	:	Keep victim calm and remove to fresh air if safe to do so. If rapid recovery does not occur, transport to nearest medical facility for additional treatment
After skin contact	:	Remove clothing and wash affected areas thoroughly with water and soap.
After eye contact	:	Rinse thoroughly with water until irritation stops. If irritation continues, consult a Doctor.
After Ingestion	:	If swallowed, do NOT induce vomiting. Transport to nearest medical facility for additional treatment.

4.2 Most important symptoms & effects, both acute & delayed See Section 11 for more detailed information on health effects and symptoms

4.3 Indication of any immediate medical attention and special treatment needed See Section 11 for more detailed information on health effects and symptoms

#### SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing media		
Suitable Extinguishing media	:	Powder, foam, sand, or $CO_2$
Un-suitable extinguishing media	:	Do not use water-jet
on ounable exangulating mould	•	
5.2 Special hazards arising from the	substar	nce or mixture
Hazardous combustion product	:	Decomposition may include the following products: Metal oxides and/ Carbon
•		oxides.
5.3 Advice for fire-fighters		
Special precautions for		Promptly isolate the scene by removing all persons from the
fire-fighters	:	vicinity of the incident if there is a fire. No action shall be taken
	•	involving any personal risk or without suitable training. Move
		containers from fire area if this can be done without risk.
		containers from the area if this can be done without risk.
Special Protection Equipment		
for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and
-		self-contained breathing apparatus (SCBA).

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Remove sources of ignition. Ground containers. Ensure sufficient ventilation, or provide respiratory protection. Protect eyes and skin.

6.2 Environmental precautions Inform relevant local authorities.

Inform inhabitants of areas that will be affected of possible fire / explosion.

6.3 Methods and materials for containment and clean-up

Do not allow ingress into ground or surface water, or drainage systems. Fill into containers and dispose at toxic waste disposal sites. Local regulations must be observed.

#### 6.4 Reference to other Sections

Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

### SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Precautions for safe handling	:	Do not smoke. Remove sources of ignition. Avoid contact with skin, eyes and clothing. Handle material in adequately ventilated areas. Ensure proper use of recommended safety apparel. Do not use compressed air or compressed oxygen for transfer of product. Partially used drums must be securely closed after use.
7.2 Conditions for safe storage, inc	luding an	ny incompatibilities
		• · · · · · · · · · · · · · · · · · · ·

Store in a cool, dry and ventilated area. Keep away from incompatible materials such as oxidising agents. Ensure material is kept in a closed container. Keep away from ignition sources.

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

	Ingredient name			Occupational exposure limits
-	Zinc			ACGIH Zinc inorg. dust as Zn: TLV-TWA: 10.00 mg/m³ 1992
	Naphtha (petroleum), hydrodesulfurised heavy			<b>ACGIH</b> TLV-TWA: 100ppm; 525 mg/m <sup>3</sup>
	edures workplace atmosp determine the efferences measures and/or equipment. References such as the follow atmospheres - Gu inhalation to chem measurement strata atmospheres - Gu the assessment of European Standa requirements for t measurement of co		workplace atmosp determine the effer measures and/or equipment. Refer such as the follow atmospheres - Gu inhalation to chem measurement stra atmospheres - Gu the assessment of European Standa requirements for the measurement of of documents for measurement of of documents for measurement of of the standard	Atains ingredients with exposure limits, personal, obere or biological monitoring may be required to ectiveness of the ventilation or other control the necessity to use respiratory protective ence should be made to monitoring standards, <i>v</i> ing: European Standard EN 689 (Workplace uidance for the assessment of exposure by nical agents for comparison with limit values and ategy) European Standard EN 14042 (Workplace uide for the application and use of procedures for of exposure to chemical and biological agents) rrd EN 482 (Workplace atmospheres - General the performance of procedures for the chemical agents) Reference to national guidance ethods for the determination of hazardous iso be required.
8.2	Exposure Controls			
Har	nd protection	:	Approved Dust Re	espirator recommended.
Eye	protection	:	Full-cover goggles	s recommended
Ski	n protection	:	PVC/rubber glove	es (impervious)
Hyę	jiene measures	:		food. Wash hands thoroughly with water and soap before e end of a work day. Provide separate storage of work clothes es.

#### **Safety Data Sheet**

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance:		
Physical state	:	Clear Liquid
Colour	:	Pale Straw
Odour	:	Slight oil/alcohol smell
Important health, safety and environ	mental in	formation:
Boiling Point	:	>140 °C
рН	:	not measurable
Flash Point	:	>35 °C (as per ASTM D93)
Solidification Temperature	:	<-20 °C
Density	:	915 kg/m³ (as per ASTM D 1298)
<u>SOLVENT</u>		
Boiling Point/Range	:	>140 °C
Solubility	:	soluble in organic solvents such as white spirits, xylol, alcohol, glycol
Explosion limits	:	approx. 0.6% to 6.5% vol/vol
Vapour Pressure	:	<10 hPa

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

The product is stable under normal conditions.

#### 10.2 Chemical stability

The product is stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

#### 10.4 Conditions to avoid

Avoid all possible sources of ignition (spark or flame).

#### 10.5 Incompatible materials

Avoid strong oxidisers, inorganic acids, organic peroxides

#### 10.6 Hazardous decomposition products

Metal oxides and carbon oxides. At pyrolysis temperature in excess of 1000 °C possible formation of metal oxides, CO, CO2, and vapours of acid decomposition.

#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on Toxicological effects

Potential Acute health effects:		
Inhalation	:	Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.
Ingestion	:	Can cause central nervous system (CNS) depression. May be fatal if swallowed and enters airways. Irritating to mouth, throat and stomach.
Skin contact	:	May cause skin irritation.
Eye contact	:	May cause eye irritation.

# Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

#### Acute Toxicity:

Product name / ingredient	Result	Species	Dose	Exposure
White Spirits	LD50 Oral	* Rat	>2000 mg/kg	-
White Spirits	LD50 Dermal	* Rat	>2000 mg/kg	-
White Spirits	LD50 Inhalation vapour	* Rat	>5 mg/l	-

\*Test results on an analogous product.

#### SECTION 12 : ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Product name / ingredient	Test	Result	Species	Exposure
White Spirits	Estimated	1 < LC50 ≤ 10 mg/l	Fish	-
	Estimated	1 < EC50 ≤ 10 mg/l	Daphnia	-
	Estimated	1 < IC50 ≤ 10 mg/l	Algae	-
	Estimated		Bacteria	-
Estimated	1 < EC50 ≤ 10 mg/l	Sewage Treatment Organisms	-	

12.2 Persistence and degradability: No data available

12.3 <u>Bioaccumulative potential</u> No data available

# 12.4 <u>Mobility</u> No data available

SECTION 13: DISPOSAL CO	<b>NSIDER</b>	ATIONS
13.1 Waste treatment methods		
Product Methods of disposal	:	Examine possibilities for re-utilisation. Product residues and uncleaned empty containers should be packaged, sealed, labelled, and disposed of or recycled according to relevant national and local regulations. Where large quantities are concerned, consult the supplier. Do not dispose into the environment, in drains or in water courses. Waste material should not be allowed to contaminate soil or water.
Packaging Methods of disposal	:	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

### Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

#### SECTION 14: TRANSPORT INFORMATION

	ADR / RID	ADN	IMDG	ΙΑΤΑ
14.1 UN Number	UN1263	UN1263	UN1263	UN1993
14.2 UN Proper shipping name	PAINT RELATED MATERIAL (ZINC OCTOATE)	PAINT RELATED MATERIAL (ZINC OCTOATE)	PAINT RELATED MATERIAL (ZINC OCTOATE)	FLAMMABLE LIQUID, N.O.S (ZINC OCTOATE)
14.3 Transport hazard class / marks				
14.4 Packing Group	Ш	Ш	Ш	III
14.5 Environmental hazards	Yes	Yes	Yes	Yes

14.6 <u>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code</u> : Not available

### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture

EC Label Name EC Classification EC Symbol	:	Low Aromatic White Spirits Flammable, Dangerous for the environment N
EINECS (EC) MITI (Japan) TSCA (USA) AICS (Australia) DSL (Canada) TCCL (Korea)		265-185-4 9-1699 Listed Listed Listed 9212-4362
PICCS (Philippines)	:	Listed

## SECTION 16: OTHER INFORMATION

Abbreviations and acronyms		
ATE	:	Acute toxicity estimate
CLP	:	Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DNEL	:	Derived No Effect level
EUH statement	:	CLP-specific Hazard statement
PBT	:	Persistent, Bio-accumulative and Toxic
PNEC	:	Predicted No Effect Concentration
RRN		REACH Registration number
vPvB	:	Very Persistent and very Bio-accumulative
Full Text of abbreviated H statements		
H226	:	Flammable liquid and vapour.
H304	:	May be fatal if swallowed and enters airways.
H315	:	Causes skin irritation.
H336	:	May cause drowsiness or dizziness.
H411	:	Toxic to aquatic life with long lasting effects

### Safety Data Sheet

according to Regulation (EU) 2015/830 Date of issue: 06/11/2012 Revision date: 02/10/2018

Revision: 04

#### Full Text of R- Phrases referred to in Sections 2 and 3

R10 R20/21/22 R36/37 R48/20 R65 R66 R38 R67 R51/53		Flammable. Harmful by inhalation, in contact with skin and if swallowed. Irritating to eyes and respiratory system Harmful: danger of serious damage to health by prolonged exposure through inhalation. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking. Irritating to skin. Vapours may cause drowsiness and dizziness. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
DATE OF PREVIOUS VERSION REVISION REASON	:	24/05/2018 Changed CAS and EINECS number for Zinc 2-ethylhexanoate.

The information and recommendations contained herein are believed to be accurate and reliable at the time of issue. It is however the user's responsibility to satisfy itself that the product is suitable for the intended use. No warranties, either implied or expressed, shall be extended as to the accuracy or completeness of the information contained herein, and we assume no responsibility regarding the suitability of the information for the user's intended purposes or for the consequences of its use.